
# GLOCK

2023 BUYER'S GUIDE



SAFE. SIMPLE. FAST. = CONFIDENCE

www.glock.com





# G47 MOS


# GLOCK'S MOST VERSATILE PISTOL

#### ARTICLE BY CHRIS EDWARDS PHOTOS BY GLOCK

LOCK pistols are demonstrably the most respected standard pistols on the planet. The one that "started it all" was the GLOCK model 17. Its original Austrian Ministry of Defense designation was the "P80," and it came to America as the GLOCK 17, or G17. The G17 has filled many hands and holsters, and continues to do so to this day. GLOCKs have evolved through several generations and many permutations, and now, another worthy descendent from the first GLOCK has joined the ranks: the G47 MOS (Modular Optic System). The iconic G17 remains in the lineup in the non-MOS configuration.

It should come as no surprise that official contracts are the driving factor of a great deal of development, particularly in the realm of modern firearms. For example, the 9x19 cartridge (current NATO designation) began life as the 9mm "Parabellum," which is Latin for "prepare for war." It was one of the earliest successful "automatic" pistol cartridges, and after over a century of development, it does just about everything one could ask of a medium pistol caliber. The current popularity of the 9x19 led to the largest US Federal Law Enforcement

contract in recent memory: new 9x19 service weapons for the US Customs and Border Patrol (CBP). This request drove the development of the G47 MOS and its companions, the G19 MOS and the CBP G26. GLOCK entered these models in the competitive testing that has been the hallmark of firearms evaluation since the late 20th Century.



One aspect of the Request for Proposal (RFP) was the desire for an element of modularity/interchangeability between the standard and compact frame sizes. GLOCK engineers approached this by melding the compact G19 locking block into a standard size frame and designing a longer slide and barrel of the G47 MOS to fit. The result is elegant in its simplicity, as is typical for GLOCK. What it means in practical terms is that the "uppers"—the slide and barrel assemblies—are interchangable. Coupled with the commonality of Gen5 parts between sizes, the logistics of weapons support is simplified.

The G47 MOS exemplifies the GLOCK Gen5 engineering and applied technology. First, the barrel, the "heart" of a firearm, is the GLOCK marksman design. This barrel, 114mm/4.49" in length, has enhanced cold hammer forged rifling and a precision machined target crown. External and internal surface finish is nDLC; the slide is the other major component with this finish, offering durability and high corrosion resistance. Accuracy testing over time has met or exceeded expectations. For example, a duty load with a 147 gr. JHP at around 900 feet per second vielded an average group of 1.8" at 25 yards! GLOCK's Safe Action System®, offering efficient control and triple redundant safeties, is the fire control for the system. The trigger operation has been praised by users in practical use. The pioneering polymer frame has medium and large sized "beavertail" back straps for adjustability and a reversible mag catch for versatility. The G47 MOS has the Gen5 surface texture molded into the frame in a 360 degree pattern. Externally, the slide has the forward section beveled for easier holstering and forward serrations for more manipulation options. There is a molded 1913 ("Picatinny") rail configuration for illuminating devices. Lights on handguns have become almost standard over the past decade, and with good reason. The ability to locate and identify possible hostile targets is paramount. As GLOCK standardized a frame rail decades ago, there are numerous lights which can be fit and secured to the G47 MOS. GLOCK has a rail light available for purchase; other good choices are the Modlite, Streamlight, SureFire, and Night Stick, to name a few. Gen5 standard frame surface pattern and flared magazine well round out the G47 MOS package. The pistol will come with three Gen5 standard capacity magazines where allowed, each equipped with a highly visible orange follower. Higher capacity magazines that may be desirable in tactical situations are available where authorized. Available as options are an extended ambidextrous slide stop lever, detachable frame lanyard loop, extended mag catch, and extreme environment slide plate.

The GLOCK MOS slide has forward serrations, and the MOS cut on it grants versatility in sight systems choice. Iron sights aren't going away. On a personal note, my go-to iron sight configuration is the GLOCK BOLD sights, with selfilluminating tritium lamps and an orange highlighted front sight. But if one wants to step up to advanced electro-optic sights, the G47 MOS can accommodate by dint of its adaptable plates. Note that as of this writing, no "dot sights" have been chosen by CBP. Some of the usual suspects, such as the Aimpoint ACRO or Trijicon RMR2, would be welcome and valuable additions to the G47 MOS. Because of its engineering, the G47 MOS retains adaptability for future developments. We are seeing a rise of the enclosed emitter optical sights due to their performance in problem free sighting. An operator should give attention to initial mounting and zeroing, seek training, and maintain proficiency with the G47 MOS to realize its accuracy



and speed. As a side note, GLOCK Professional offers specific MOS Operators and Instructors courses to obtain full proficiency with the G47 MOS.

The G47 MOS slide is a shorter version of the GLOCK 17L/ G34 slides. There is an extension from the muzzle to the front of the frame dust cover rather than the standard GLOCK recoil spring assembly (RSA) guide ring. What this means internally is the G47 MOS uses a G19 Gen5 RSA, as does the G45 and G19/G19X. There is a high percentage of parts interchangeability, and replacing a part is a simple "drop in" action, due to the high precise quality of GLOCK manufacturing and GLOCK's constant quality control.

Handling impressions are by their subjective nature, but I will pass them on for reference. I have always been able to shoot the standard frame GLOCKs slightly better than the compact version. There is just a bit more to grasp on the presentation or draw of the G47 MOS, which promotes confidence, and speed/emergency reloads are surer in execution. The longer slide of the G47 MOS provides a bit more iron sight radius than the compact version, but having made the near-total commitment to enclosed optics, this is my choice of sighting systems. Training with the GLOCK Professional Instructors has confirmed this equipment is excellent in defensive, tactical, and low light situations. A slight muzzle bias, weight wise, offers less "flip" when firing. The G47 MOS, equipped with an optic, can sight from 3 to 300 feet.

There is an old Border Patrol saying of approval: "It'll do to ride the river with." The G47 MOS can indeed "ride the river," as well as the sometimes-mean city streets and sometimesdangerous highways and countryside. The G47 MOS: a new standard for the world.

## GLOCK PROFESSIONAL, INC.

## **PROVIDES TOP TRAINING** FOR GLOCK PRODUCTS

THE DIVISION RECRUITS THE BEST TRAINERS TO TEACH TOP **GLOCK SHOOTING AND ARMORER COURSES WORLDWIDE** 

#### ARTICLE BY WILLIE PARENT

LOCK Professional, Inc. is a little known diamond-in-the-rough. It is commonly known for the GLOCK Sport Shooting Foundation (GSSF) matches held across the country-however, we are so much more. GLOCK Professional also houses the Training Division for all GLOCK products. There are 15 instructors in the United States and three in Austria that train GLOCK's customers around the world.

#### **TYPES OF COURSES OFFERED**

GLOCK Professional Instructors run courses for the use and armoring of all GLOCK products. Our team provides continuing education for Law Enforcement and Military Firearms Instructors in the U.S. with the Instructor Workshop and MOS Instructor Workshop in a 2-1/2-day format.

For non Law Enforcement or Military Firearms Instructors, we offer the Operator Courses, which are skill-building courses that cover everything from drawing from a holster and pistol presentation to shooting on the move. In the U.S., the class follows a two-day format that makes this training readily accessible for people who have to take off from work and travel to participate.

The Low Profile Carry Course specializes in Concealed Carry techniques and the monthly Brilliance in the Basics Course is held at GLOCK Professional in Smyrna, Georgia, for first-time firearm owners who want to begin their journey with safe and proper training.

There are more courses on the horizon as the Training Division grows to meet the needs of our customers. GLOCK Professional can also customize training courses. GLOCK Professional does not teach legalities or tactics, we teach techniques that are proven to be safe and efficient in any situation.

#### **HOW GLOCK INSTRUCTORS ARE CHOSEN**

Who are the instructors of GLOCK Professional? We are a diverse group of people carefully vetted to ensure you receive the best training possible.

These instructors from the U.S. and Austria have backgrounds in Law Enforcement, SWAT, and Special Forces. If they are not on the road running courses, they are often seen at local and state shooting competitions. This mixture of skillsets provides a bevy of different perspectives.

GLOCK Professional believes that to be a great instructor, you must always be a great student. Our instructors stay abreast of the latest techniques and methods of instruction

by sharing knowledge gained all over the world. It is essential for us to continue perfecting our craft on the range and in the classroom so we can provide the best training in the world to our clients.

Our instructors are some of the best, which is largely the result of our stringent vetting process. Potential candidates are required to qualify on two separate courses of fire and conduct a classroom presentation just to get an interview. GLOCK Professional does not contract our instructors. GLOCK is adamant about maintaining the highest levels of quality, both in our products and our team.

#### **GATHERING FOR BIANNUAL MEETINGS**

Biannually, all GLOCK instructors gather to share knowledge at our International Training Meeting. We conduct different shooting courses. It's our way of making sure our customers receive the same quality of training anywhere in the world.

Every instructor must qualify on three separate courses of fire to remain on the team.

We gather for technical training on the latest GLOCK products and updates. We regularly update and modify our GLOCK Armorer Courses and manuals based on feedback from the team about what they've encountered. Team members must then pass an in-depth Armorer exam each year to ensure all Training personnel are knowledgeable and familiar with all of GLOCK's products.

#### **GETTING GLOCK PROFESSIONAL, INC. TRAINING**

GLOCK Professional, Inc. is dedicated to perfection and making sure everyone, from new to experienced shooters, has the solid foundation needed to excel in competitive shooting, protecting our communities, or protecting themselves and their families.

Whether shooting is your lifestyle and you know your GLOCK pistol inside and out, or you've just picked up your first GLOCK handgun, GLOCK Professional, Inc., is perfect for you. To see the schedule for GLOCK Professional training courses, visit our site at glocktraining.com.

For those in the United States or Canada who want information on the requirements for the GLOCK courses or on how to attend or host a GLOCK course, visit glocktraining.com.

For all other countries, contact the Austria Training Department for requirements and to schedule training at: GP@GLOCK.AT or call +43(0)224790300 0

# THE GLOCK GEN5 PRODUCT LINE IS EXPANDING



# GEN5 THE NEXT GENERATION

A COMBINATION OF FUTURE TECHNOLOGY, ADVANCED DESIGN AND THE FAMILIAR GLOCK RELIABILITY

ARTICLE BY CHRIS EDWARDS PHOTO BY GLOCK

he fifth generation of GLOCK pistols is increasing its collection of calibers. GLOCK now manufactures Gen5 pistols in 10mm AUTO and .45 AUTO in standard sized pistols. The G20 Gen5 MOS (Modular Optic System) in 10mm AUTO has a standard magazine capacity of 15 rounds of ammunition, and the G21 Gen5 MOS is chambered in the widely recognized .45 AUTO. Standard capacity for the G21 is 13 rounds in the magazine. The addition of the MOS marks a historical addition to these large service pistols: the ability to mount an electro-optical sight.

Additionally, all Gen5 engineering improvements are part and parcel of the packages. The GLOCK Marksman Barrel with unequaled accuracy and reliability rests within the slide, ready to guide the powerful projectiles. GLOCK's extremely durable and rust resistant finish, nDLC, protects the major steel components. The Gen5 fire control system is recognized by experienced shooters as an unequaled blend of safety, reliability, and efficiency. The frame can be adjusted for various hand sizes and features a reversible magazine catch. The ambidextrous slide stop lever completes this versatility. Coupled with a flared magwell, the Gen5 polymer frame surface texture affords the hands secure purchase in cold, wet, and muddy conditions. A picatinny rail system provides for the addition of illuminating devices.

The new Gen5 GLOCK models are a necessity, no matter what field you find yourself in.

### **SLIMLINE & SLIMLINE MOS**

These pistols have the ability to mount miniature electronic sights and include GLOCK's mounting rail system for mounting lights or lasers. The GLOCK 43X MOS and GLOCK 48 MOS pistols have Gen5 technology in a sleek, duty-capable package. The G43X MOS has a subcompact slide, and the G48 MOS has a compact-length slide.

#### GLOCK's 9x19 Slimline family is growing and so are its amazing attributes:

- 10+1 capacity
- · Superior GLOCK reliability
- 9x19 versatility
- · Form and function meet to offer ultimate concealability



| CALIBER<br>9x19             | TO                       | TO                  | 72                  | P                   |                     |
|-----------------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|
|                             | G43                      | G43X                | G43X MOS            | G48                 | G48 MOS             |
| ACTION/SYSTEM               | SAFE ACTION® (constant   | double-action mode) |                     |                     |                     |
| LENGTH                      | 6.26 in. / 159 mm        | 6.50 in. / 165 mm   | 6.50 in. / 165 mm   | 7.28 in. / 185 mm   | 7.28 in. / 185 mm   |
| HEIGHT                      | 4.25 in. / 108 mm        | 5.04 in. / 128 mm   | 5.04 in. / 128 mm   | 5.04 in. / 128 mm   | 5.04 in. / 128 mm   |
| WIDTH                       | 1.06 in. / 27 mm         | 1.10 in. / 28 mm    | 1.10 in. / 28 mm    | 1.10 in. / 28 mm    | 1.10 in. / 28 mm    |
| SIGHT RADIUS<br>(POLYMER)   | 5.24 in. / 133 mm        | 5.24 in. / 133 mm   | 5.24 in. / 133 mm   | 5.98 in. / 152 mm   | 5.98 in. / 152 mm   |
| BARREL LENGTH               | 3.41 in. / 86.5 mm       | 3.41 in. / 87 mm    | 3.41 in. / 87 mm    | 4.17 in. / 106 mm   | 4.17 in. / 106 mm   |
| BARREL RIFLING              | Hexagonal profile with r | ight-hand twist     |                     |                     |                     |
| LENGTH OF TWIST             | 9.84 in. / 250 mm        | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   |
| MAG. CAPACITY<br>STD. (RDS) | 6                        | 10                  | 10                  | 10                  | 10                  |
| WEIGHT INCL.<br>MAGAZINE    | ~17.99 oz. / ~510 g      | ~18.70 oz. / ~530 g | ~18.55 oz. / ~526 g | ~20.74 oz. / ~588 g | ~20.60 oz. / ~584 g |
| WEIGHT LOADED               | ~20.64 oz. / ~585 g      | ~23.07 oz. / ~654 g | ~22.96 oz. / ~651 g | ~25.12 oz. / ~712 g | 24.97 oz. / ~708 g  |
| TRIGGER PULL                | ~ 5.4 lbs. / ~ 24 N      | ~5.4 lbs. / ~24 N   | ~5.4 lbs. / ~24 N   | ~5.4 lbs. / ~24 N   | ~5.4 lbs. / ~24 N   |
| TRIGGER TRAVEL              | ~.49 in. / ~12.5 mm      | ~.49 in. / ~12.5 mm | ~.49 in. / ~12.5 mm | ~.49 in. / ~12.5 mm | ~.49 in. / ~12.5 mm |
| MSRP                        | \$538                    | \$538               | \$582               | \$538               | \$582               |
|                             |                          |                     |                     |                     |                     |

Technical specs may be altered without notice \*Optics not included on MOS models




### **G44**

GLOCK's first .22 LR rimfire pistol is lightweight, dependable, and accurate. With many of the same features and latest Gen5 technologies of larger-caliber GLOCKs, this is the one to have for training, field carry, and just plain fun when target shooting!

#### Trainer, competitor, and loads of fun-it's all in the G44:

- GLOCK's inaugural .22 LR pistol
- GLOCK SAFE ACTION® fire-control system
- · Light recoiling and reliable
- Threaded barrel available for use with suppressors
- Spare magazine and cleaning tools included




#### **CALIBER** .22 LR



G44

| ACTION/SYSTEM   | SAFE ACTION® (constant double-action mode)                      |
|---|---|
| LENGTH  | 7.28 in. / 185 mm   |
| HEIGHT  | 5.04 in. /128 mm  |
| WIDTH   | 1.26 in. / 32 mm  |
| SIGHT RADIUS<br>(POLYMER)                                   | 6.22 in. / 158 mm   |
| BARREL LENGTH   | 4.02 in. / 102 mm   |
| BARREL RIFLING  | Hexagonal profile with right-hand twist                         |
| LENGTH OF TWIST   | 15.98 in. / 406 mm  |
|   |   |
| MAG. CAPACITY<br>STD. (RDS)                                 | 10  |
|   | 10<br>~14.64 oz. / ~415 g                                       |
| STD. (RDS)<br>WEIGHT INCL.                                  |   |
| STD. (RDS) WEIGHT INCL. MAGAZINE                            | ~14.64 oz. / ~415 g   |
| STD. (RDS) WEIGHT INCL. MAGAZINE WEIGHT LOADED              | ~14.64 oz. / ~415 g<br>~16.40 oz. / ~465 g                      |
| STD. (RDS) WEIGHT INCL. MAGAZINE WEIGHT LOADED TRIGGER PULL | ~14.64 oz. / ~415 g<br>~16.40 oz. / ~465 g<br>~5.8 lbs. / ~26 N |








### Standard Crossovers: World-Renowned Service Pistols

The G45 MOS adds the GLOCK Modular Optic System for unmatched versatility. This model has a compact-length slide, full-size frame, and Gen5 technology.





#### **CALIBER** 9x19









|                             | G19X                                       | G45                 | G45 MOS             |
|-----------------------------|--|---------------------|---------------------|
| ACTION/SYSTEM               | SAFE ACTION® (constant double-action mode) |                     |                     |
| LENGTH                      | 7.44 in. / 189 mm                          | 7.44 in. / 189 mm   | 7.44 in. / 189 mm   |
| HEIGHT                      | 5.47 in. / 139 mm                          | 5.47 in. / 139 mm   | 5.47 in. / 139 mm   |
| WIDTH                       | 1.30 in. / 33 mm                           | 1.34 in. / 34 mm    | 1.34 in. / 34 mm    |
| SIGHT RADIUS                | 5.94 in. / 151 mm *                        | 6.02 in. / 153 mm   | 6.18 in. / 157 mm   |
| BARREL LENGTH               | 4.02 in. / 102 mm                          | 4.02 in. / 102 mm   | 4.02 in. / 102 mm   |
| BARREL RIFLING              | Enhanced hexagonal profile with right-han  | d twist (GMB)       |                     |
| LENGTH OF TWIST             | 9.84 in. / 250 mm                          | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   |
| MAG. CAPACITY<br>STD. (RDS) | 17   | 17                  | 17                  |
| WEIGHT INC.<br>MAGAZINE     | ~24.83 oz. / ~704 g                        | ~24.48 oz. / ~694 g | ~24.52 oz. / ~695 g |
| WEIGHT LOADED               | ~31.39 oz. / ~890 g                        | ~30.34 oz. / ~860 g | ~30.34 oz. / ~860 g |
| TRIGGER PULL                | ~5.8 lbs. / ~26 N                          | ~5.8 lbs. / ~26 N   | ~5.8 lbs. / ~26 N   |
| TRIGGER TRAVEL              | ~0.49 in. / 12.5 mm                        | ~0.49 in. / 12.5 mm | ~0.49 in. / 12.5 mm |
| MSRP                        | \$707                                      | \$647               | \$745               |

\*(GNS) GLOCK Night Sights

Technical specs may be altered without notice \*Optics not included on MOS models



### GLOCK's Iconic 9x19 Pistols

The 9x19 cartridge is the world standard of combat pistol rounds. Proven power in an efficiently sized cartridge, the 9x19 is universally available. Advanced projectile technology and its ease of control have made the 9x19 the first choice for serious use.

#### 9x19: A superb round for the perfect brand of firearms-GLOCK

- Moderate recoil
- · Accessible offerings from many ammo brands
- · A caliber popular amongst police and the military





#### **CALIBER** 9x19



|                             | G34 Gen5 MOS<br>G34 (CA) | G47 MOS                    | G17 Gen5<br>G17 (CA) | G19 Gen5 MOS         | G19 Gen5<br>G19 (CA) | G26 Gen5<br>G26 (CA) |
|-----------------------------|--------------------------|----------------------------|----------------------|----------------------|----------------------|----------------------|
| ACTION/SYSTEM               | SAFE ACTION® (constant   | double-action mode)        |                      |                      |                      |                      |
| LENGTH                      | 8.74 in. / 222 mm        | 7.95 in. / 202 mm          | 7.95 in. / 202 mm    | 7.28 in. / 185 mm    | 7.28 in. / 185 mm    | 6.42 in. / 163 mm    |
| HEIGHT                      | 5.47 in. / 139 mm        | 5.47 in. / 139 mm          | 5.47 in. / 139 mm    | 5.04 in. / 128 mm    | 5.04 in. / 128 mm    | 4.17 in. / 106 mm    |
| WIDTH                       | 1.34 in. / 34 mm         | 1.34 in. / 34 mm           | 1.34 in. / 34 mm     | 1.34 in. / 34 mm     | 1.34 in. / 34 mm     | 1.30 in. / 33 mm     |
| SIGHT RADIUS<br>(POLYMER)   | 7.52 in. / 191 mm        | 6.65 in. / 169 mm          | 6.50 in. / 165 mm    | 6.18 in. / 157 mm    | 6.02 in. / 153 mm    | 5.39 in. / 137 mm    |
| BARREL LENGTH               | 5.31 in. / 135 mm        | 4.49 in. / 114 mm          | 4.49 in. / 114 mm    | 4.02 in. / 102 mm    | 4.02 in. / 102 mm    | 3.43 in. / 87 mm     |
| BARREL RIFLING              | Enhanced hexagonal p     | profile with right-hand tw | vist (GMB)           |                      |                      |                      |
| LENGTH OF TWIST             | 9.84 in. / 250 mm        | 9.84 in. / 250 mm          | 9.84 in. / 250 mm    | 9.84 in. / 250 mm    | 9.84 in. / 250 mm    | 9.84 in. / 250 mm    |
| MAG. CAPACITY<br>STD. (RDS) | 17                       | 17                         | 17                   | 15                   | 15                   | 10                   |
| WEIGHT INCL.<br>MAGAZINE    | ~26.21 oz. / ~743 g      | ~25.93 oz. / ~735 g        | ~24.97 oz. / ~708 g  | ~23.81 oz. / ~675 g  | ~23.63 oz. / ~670 g  | ~21.69 oz. / ~615 g  |
| WEIGHT LOADED               | ~34.57 oz. / ~980 g      | ~34.29 oz. / ~972 g        | ~33.33 oz. / ~945 g  | ~29.98 oz. / ~850 g  | ~30.16 oz. / ~855 g  | ~26.07 oz. / ~739 g  |
| TRIGGER PULL                | ~5.4 lbs. / ~24 N        | ~5.8 lbs. / ~26 N          | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N    |
| TRIGGER TRAVEL              | ~0.49 in. / ~12.5 mm     | ~0.49 in. / ~12.5 mm       | ~0.49 in. / 12.5 mm  | ~0.49 in. / ~12.5 mm | ~0.49 in. / 12.5 mm  | ~0.49 in. / ~12.5 mm |
| MSRP                        | \$851                    | \$745                      | \$647                | \$745                | \$647                | \$647                |

Technical specs may be altered without notice \*Optics not included on MOS models

### .380 AUTO

The .380 AUTO has seen a remarkable resurgence in popularity over the last several years, thanks to advancements in ammunition technology and performance. GLOCK meets the demand for an ultrareliable handgun that makes the most of this small round with the G42. This may be GLOCK's smallest model, but it behaves like a full-size pistol.

#### The ultimate choice for deep concealed carry is **GLOCK's G42 .380 AUTO:**

- · Lilliputian size, giant performance
- · Self-defense in a highly concealable package
- · Minimal recoil, notable accuracy
- · Effective defensive ammunition readily available
- · Deployed for protective use for more than 100 years







### SMALL SIZE, MAXIMUM POWER

The biggest splash can be made by the smallest object, and the GLOCK 42 in .380 AUTO is no exception. GLOCK perfection in pocket-sized dimensions, this pistol is the ultimate companion!





**G42** 

| ACTION/SYSTEM               | SAFE ACTION® (constant double-action mode) |
|-----------------------------|--|
| LENGTH                      | 5.94 in. / 151 mm                          |
| HEIGHT                      | 4.13 in. / 105 mm                          |
| WIDTH                       | .98 in. / 25 mm                            |
| SIGHT RADIUS<br>(POLYMER)   | 4.92 in. / 125 mm                          |
| BARREL LENGTH               | 3.25 in. / 82.5 mm                         |
| BARREL RIFLING              | Hexagonal profile with right-hand twist    |
| LENGTH OF TWIST             | 9.84 in. / 250 mm                          |
| MAG. CAPACITY<br>STD. (RDS) | 6  |
| WEIGHT INCL.<br>MAGAZINE    | ~13.76 oz. / ~390 g                        |
| WEIGHT LOADED               | ~15.87 oz. / ~450 g ~                      |
| TRIGGER PULL                | ~5.4 lbs. / ~24 N                          |
|                             |  |
| TRIGGER TRAVEL              | ~0.49 in. / ~12.5 mm                       |
| TRIGGER TRAVEL MSRP         | ~0.49 in. / ~12.5 mm<br>\$479              |

Technical specs may be altered without notice




### .40 AUTO

A proven round for law enforcement use, self-defense, competition, and casual target shooting, the .40 AUTO is a powerful cartridge without being overwhelming. Its efficient size also contributes to improved on-board capacity.

#### The powerful .40 AUTO GLOCK family:

- Efficient size, impressive power
- .40 AUTO GLOCK Gen5s have improved control and handling
- Documented terminal performance
- A cartridge for all occasions: self-defense, field, and competition



#### **CALIBER** .40 AUTO













|                             | G35 Gen5 MOS<br>G35 (CA)  | G22 Gen5<br>G22 (CA) | G22 Gen5 MOS         | G23 Gen5<br>G23 (CA) | G23 Gen5 MOS         | G27 Gen5<br>G27 (CA) |
|-----------------------------|---------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| ACTION/SYSTEM               | SAFE ACTION® (constant    | double-action mode)  |                      |                      |                      |                      |
| LENGTH                      | 8.74 in. / 222 mm         | 7.95 in. / 202 mm    | 7.95 in. / 202 mm    | 7.28 in. / 185 mm    | 7.28 in. / 185 mm    | 6.42 in. / 163 mm    |
| HEIGHT                      | 5.51 in. / 140 mm         | 5.51 in. / 140 mm    | 5.51 in. / 140 mm    | 5.08 in. / 129 mm    | 5.08 in. / 129 mm    | 4.21 in. / 107 mm    |
| WIDTH                       | 1.34 in. / 34 mm          | 1.32 in. / 33.5 mm   | 1.32 in. / 33.5 mm   | 1.32 in. / 33.5 mm   | 1.32 in. / 33.5 mm   | 1.32 in. / 33.5 mm   |
| SIGHT RADIUS<br>(POLYMER)   | 7.48 in. / 190 mm         | 6.46 in. / 164 mm    | 6.61 in. / 168 mm    | 5.98 in. / 152 mm    | 6.14 in. / 156 mm    | 5.39 in. / 137 mm    |
| BARREL LENGTH               | 5.31 in. / 135 mm         | 4.49 in. / 114 mm    | 4.49 in. / 114 mm    | 4.02 in. / 102 mm    | 4.02 in. / 102 mm    | 3.43 in. / 87 mm     |
| BARREL RIFLING              | Octagonal profile with ri | ght-hand twist (GMB) |                      |                      |                      |                      |
| LENGTH OF TWIST             | 15.75 in. / 400 mm        | 15.75 in. / 400 mm   | 15.75 in. / 400 mm   | 15.75 in. / 400 mm   | 15.75 in. / 400 mm   | 15.75 in. / 400 mm   |
| MAG. CAPACITY<br>STD. (RDS) | 15                        | 15                   | 15                   | 13                   | 13                   | 9                    |
| WEIGHT INCL.<br>MAGAZINE    | ~28.29 oz. / ~802 g       | ~28.43 oz. / ~806 g  | ~28.43 oz. / ~806 g  | ~26.67 oz. / ~756 g  | ~26.67 oz. / ~756 g  | ~23.85 oz. / ~676 g  |
| WEIGHT LOADED               | ~37.04 oz. / ~1050 g      | ~37.32 oz. / ~1058 g | ~37.32 oz. / ~1058 g | ~34.36 oz. / ~974 g  | ~34.36 oz. / ~974 g  | ~29.17 oz. / ~827 g  |
| TRIGGER PULL                | ~5.4 lbs. / ~24 N         | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N    |
| TRIGGER TRAVEL              | ~0.49 in. / ~12.5 mm      | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm |
| MSRP                        | \$840                     | \$647                | \$745                | \$647                | \$745                | \$647                |



### .45 AUTO

In use for more than 100 years, the iconic .45 AUTO cartridge was originally designed for the U.S. military. Tested in battle across the decades and a favorite of competitive shooters and self-defense practitioners, the .45 AUTO in a GLOCK pistol is heralded as a powerful yet controllable round.

### GLOCK .45 AUTO models do it all with this do-it-all, powerful cartridge:

- · Historically recognized as a premiere defensive round
- · Performance-driven GLOCK platforms for every situation
- · Modern ammunition designed for a wide range of applications
- · Undisputed choice for everything from target shooting to conflict resolution



#### **CALIBER** .45 **AUTO**











|  |                             | 3,000                     |                      |                      |                      |                      |
|--|-----------------------------|---------------------------|----------------------|----------------------|----------------------|----------------------|
|  |                             | G41 Gen4 MOS              | G41 Gen4             | G21 Gen5 MOS         | G30S                 | G36                  |
|  | ACTION/SYSTEM               | SAFE ACTION® (constant    | double-action mode)  |                      |                      |                      |
|  | LENGTH                      | 8.78 in. / 223 mm         | 8.78 in. / 223 mm    | 8.07 in. / 205 mm    | 6.97 in. / 177 mm    | 6.97 in. / 177 mm    |
|  | HEIGHT                      | 5.47 in. / 139 mm         | 5.47 in. / 139 mm    | 5.51 in. / 140 mm    | 4.80 in. / 122 mm    | 4.72 in. / 120 mm    |
|  | WIDTH                       | 1.34 in. / 34 mm          | 1.34 in. / 34 mm     | 1.38 in. / 35 mm     | 1.38 in. / 35 mm     | 1.18 in. / 30 mm     |
|  | SIGHT RADIUS<br>(POLYMER)   | 7.64 in. / 194 mm         | 7.68 in. / 195 mm    | 6.93 in. / 176 mm    | 5.91 in. / 150 mm    | 5.91 in. / 150 mm    |
|  | BARREL LENGTH               | 5.31 in. / 135 mm         | 5.31 in. / 135 mm    | 4.61 in. / 117 mm    | 3.78 in. / 96 mm     | 3.78 in. / 96 mm     |
|  | BARREL RIFLING              | Octagonal profile with ri | ght-hand twist       |                      |                      |                      |
|  | LENGTH OF TWIST             | 15.75 in. / 400 mm        | 15.75 in. / 400 mm   | 15.75 in. / 400 mm   | 15.75 in. / 400 mm   | 15.75 in. / 400 mm   |
|  | MAG. CAPACITY<br>STD. (RDS) | 13                        | 13                   | 13                   | 10                   | 6                    |
|  | WEIGHT INCL.<br>MAGAZINE    | ~26.63 oz. / ~755 g       | ~26.81 oz. / ~760 g  | ~29.10 oz. / ~825 g  | ~22.75 oz. / ~645 g  | ~22.40 oz. / ~635 g  |
|  | WEIGHT LOADED               | ~36.16 oz. / ~1025 g      | ~36.51 oz. / ~1035 g | ~38.62 oz. / ~1095 g | ~30.16 oz. / ~855 g  | ~26.81 oz. / ~760 g  |
|  | TRIGGER PULL                | ~5.4 lbs. / ~24 N         | ~5.4 lbs. / ~24 N    | ~5.8 lbs. / ~26 N    | ~6.3 lbs. / ~28 N    | ~6.3 lbs. / ~28 N    |
|  | TRIGGER TRAVEL              | ~0.49 in. / ~12.5 mm      | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm |
|  | MSRP                        | \$800                     | \$716                | \$745                | \$655                | \$655                |

Technical specs may be altered without notice \*Optics not included on MOS models



### 10mm AUTO

GLOCK models in 10mm AUTO offer magnum performance in an ultra-reliable package. GLOCK engineering yields controllable recoil and substantial capacity. Accurate, durable, and safe, the GLOCK 10mm AUTO pistols are a superb choice for hunting and self-defense.

### **GLOCK's 10mm AUTO models—power bar none:**

- Wide range of sizes satisfy numerous applications
- Large magazine capacity
- · Magnum-level power
- · World-renowned GLOCK quality and design features



#### **CALIBER** 10mm AUTO





| G40 | Gen4 | MO | S |
|-----|------|----|---|
|-----|------|----|---|

G20 Gen5 MOS

| ACTION/SYSTEM               | SAFE ACTION® (constant double-action mode) |                      |  |  |
|-----------------------------|--|----------------------|--|--|
| LENGTH                      | 9.49 in. / 241 mm                          | 8.07 in. / 205 mm    |  |  |
| HEIGHT                      | 5.47 in. / 139 mm                          | 5.51 in. / 140 mm    |  |  |
| WIDTH                       | 1.34 in. / 34 mm                           | 1.38 in. / 34 mm     |  |  |
| SIGHT RADIUS<br>(POLYMER)   | 8.31 in. / 211 mm                          | 6.93 in. / 176 mm    |  |  |
| BARREL LENGTH               | 6.02 in. / 153 mm                          | 4.61 in. / 117 mm    |  |  |
| BARREL RIFLING              | Hexagonal profile with ri                  | ght-hand twist       |  |  |
| LENGTH OF TWIST             | 9.84 in. / 250 mm                          | 9.84 in. / 250 mm    |  |  |
| MAG. CAPACITY<br>STD. (RDS) | 15   | 15                   |  |  |
| WEIGHT INCL.<br>MAGAZINE    | ~35.45 oz. / ~1005 g                       | ~29.69 oz. / ~845 g  |  |  |
| WEIGHT LOADED               | ~44.62 oz. / ~1265 g                       | ~38.80 oz. / ~1100 g |  |  |
| TRIGGER PULL                | ~5.4 lbs. / ~24 N                          | ~5.8 lbs. / ~26 N    |  |  |
| TRIGGER TRAVEL              | ~.49 in. / ~12.5 mm                        | ~.49 in. / ~12.5 mm  |  |  |
| MSRP                        | \$800                                      | \$745                |  |  |





Technical specs may be altered without notice \*Optics not included on MOS models

### .357 AUTO

Developed to emulate the fabled .357 Magnum revolver round in a semiautomatic pistol, the .357 AUTO is the choice of law enforcement when failure is not an option. GLOCK pistols in this caliber—based on the .40 AUTO—develop the maximum power available in this bore size.

### Accuracy, power, and supreme reliability in GLOCK's .357 AUTO group:

- · Bottleneck cartridge design ensures reliable feeding
- Magnum revolver power in a semi-auto package
- · Amazing ballistics and on-target performance
- · High velocity delivers fight-stopping power



**CALIBER** .357 AUTO







|  | G31 Gen4<br>G31 (CA)  | G32 Gen4<br>G32 (CA)  | G33 Gen4<br>G33 (CA)                            |
|--|---|---|---|
| ACTION/SYSTEM  | SAFE ACTION® (constant  | double-action mode)   |   |
| LENGTH   | 7.95 in. / 202 mm<br>8.03 in. / 204 mm                                | 7.28 in. / 185 mm<br>7.36 in. / 187 mm                                | 6.42 in. / 163 mm<br>6.50 in. / 165 mm          |
| HEIGHT   | 5.47 in. / 139 mm   | 5.04 in. / 128 mm   | 4.21 in. / 107 mm                               |
| WIDTH  | 1.26 in. / 32 mm  | 1.26 in. / 32 mm  | 1.26 in. / 32 mm                                |
| SIGHT RADIUS<br>(POLYMER)  | 6.50 in. / 165 mm   | 6.02 in. / 153 mm   | 5.39 in. / 137 mm                               |
| BARREL LENGTH  | 4.49 in. / 114 mm   | 4.02 in. / 102 mm   | 3.43 in. / 87 mm                                |
| BARREL RIFLING   | Hexagonal profile with ri   | ght-hand twist  |   |
| DARKEL KILLING   | g   | <b>-</b>  |   |
| LENGTH OF TWIST  | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   | 9.84 in. / 250 mm                               |
|  | - '   |   | 9.84 in. / 250 mm                               |
| LENGTH OF TWIST  | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   | 0.0 1 200                                       |
| LENGTH OF TWIST  MAG. CAPACITY STD. (RDS)  WEIGHT INCL.                      | 9.84 in. / 250 mm<br>15   | 9.84 in. / 250 mm<br>13   | 9   |
| LENGTH OF TWIST MAG. CAPACITY STD. (RDS) WEIGHT INCL. MAGAZINE               | 9.84 in. / 250 mm<br>15<br>~26.10 oz. / ~740 g                        | 9.84 in. / 250 mm<br>13<br>~24.34 oz. / ~690 g                        | 9<br>~21.87 oz. / ~620 g                        |
| LENGTH OF TWIST MAG. CAPACITY STD. (RDS) WEIGHT INCL. MAGAZINE WEIGHT LOADED | 9.84 in. / 250 mm<br>15<br>~26.10 oz. / ~740 g<br>~33.16 oz. / ~940 g | 9.84 in. / 250 mm<br>13<br>~24.34 oz. / ~690 g<br>~30.34 oz. / ~860 g | 9<br>~21.87 oz. / ~620 g<br>~25.93 oz. / ~735 g |

Technical specs may be altered without notice





### .45 G.A.P.

Designed specifically for GLOCK, the .45 G.A.P.—GLOCK Automatic Pistol—cartridge is a big-bore caliber that works across multiple platform sizes, including subcompact. Independent testing shows it to be more intrinsically accurate than older .45-caliber cartridges.

### Refinement of a classic puts the GLOCK .45 G.A.P. models in a class of their own:

- Proven pistol round in standard, compact, and subcompact GLOCK frames
- Enhanced .45-caliber stopping power
- · GLOCK reliability, durability, and safety
- · Controllable recoil with notable accuracy



#### **CALIBER** .45 G.A.P.







|                             | G37 Gen4<br>G37                        | G38                   | G39                 |
|-----------------------------|--|-----------------------|---------------------|
| ACTION/SYSTEM               | SAFE ACTION® (constan                  | t double-action mode) |                     |
| LENGTH                      | 7.95 in. / 202 mm<br>8.03 in. / 204 mm | 7.36 in. / 187 mm     | 6.50 in. / 165 mm   |
| HEIGHT                      | 5.47 in. / 139 mm                      | 5.04 in. / 128 mm     | 4.17 in. / 106 mm   |
| WIDTH                       | 1.30 in. / 33 mm                       | 1.30 in. / 33 mm      | 1.30 in. / 33 mm    |
| SIGHT RADIUS<br>(POLYMER)   | 6.50 in. / 165 mm                      | 6.02 in. / 153 mm     | 5.39 in. / 137 mm   |
| BARREL LENGTH               | 4.49 in. / 114 mm                      | 4.02 in. / 102 mm     | 3.43 in. / 87 mm    |
| BARREL RIFLING              | Octagonal profile with r               | ight-hand twist       |                     |
| LENGTH OF TWIST             | 15.75 in. / 400 mm                     | 15.75 in. / 400 mm    | 15.75 in. / 400 mm  |
| MAG. CAPACITY<br>STD. (RDS) | 10                                     | 8                     | 6                   |
| WEIGHT INCL.<br>MAGAZINE    | ~28.75 oz. / ~815 g                    | ~26.63 oz. / ~755 g   | ~24.16 oz. / ~685 g |
| WEIGHT LOADED               | ~35.27 oz. / ~1000 g                   | ~31.75 oz. / ~900 g   | ~27.87 oz. / ~790 g |
| TRIGGER PULL                | ~6.3 lbs. / ~28 N                      | ~6.3 lbs. / ~28 N     | ~6.3 lbs. / ~28 N   |
| TRIGGER TRAVEL              | ~.49 in. / ~12.5 mm                    | ~.49 in. / ~12.5 mm   | ~.49 in. / ~12.5 mm |
| MSRP                        | \$660 G37 Gen4<br>\$620 G37            | \$620                 | \$620               |





Technical specs may be altered without notice

### **GLOCK ACCESSORIES**

### **FULLY ADJUSTABLE REAR SIGHT**

Equipped with a contrast insert that enables simple, accurate, and fast alignment, the GLOCK Adjustable Rear Sight has a low-profile, point-of-impact positioning that is adjustable in elevation and windage. Supplied with adjustment tool.





#### 1. FIXED REAR SIGHT


This sight is available to compensate for various types of ammunition. Available in 6.1mm, 6.5mm, 6.9mm, and 7.3mm heights.



#### 2. STEEL SIGHTS

GLOCK offers durable fixed steel sights as an alternative to the well-known standard synthetic fixed sights.





### **REAR SIGHT ADJUSTMENT TOOL**

A versatile, easy to use adjustment and installation device for GLOCK rear sights.

### **FIXED NIGHT SIGHT**

Tritium contrast points that illuminate in color at night, visible as white in daylight. (store.teamglock.com)





### **FRONT SIGHT** MOUNTING TOOL

For installing the GLOCK screw-on front sight (all versions), simply screw the front sight onto the slide of the pistol. By turning the screw, the front sight is easily installed and locked in place



### **SURVIVAL KNIFE**

The GLOCK Survival Knife is made of a special hardened steel, with polymer handles and black, anti-corrosion-coated blades for maximum durability and ruggedness. Knives come with matching sheaths made of high-impact-resistant polymer material and feature a loop catch that allows for quick drawing with only one hand. They fit belts up to 2.4 inches (60mm) in width.

#### **SURVIVAL KNIFE MODEL 81**

Survival knife with saw.

AVAILABLE IN: Black Sniper Grey Flat Dark Earth Battlefield Green



### **ENTRENCHING TOOL**

A must-have for any outdoor enthusiast, this innovative entrenching tool has a surface-treated blade that can be locked in three positions for multiple uses. The hardened saw located inside the handle can be quickly mounted if required. When folded, the GLOCK Entrenching Tool can be easily stored in a backpack or vehicle. Comes with a durable nylon pouch that can attach to a belt or backpack.





### **GLOCK** PERFORMANCE TRIGGER

The GLOCK Performance Trigger has a smooth pull and crisp reset for fast follow-up shots. This new trigger option is now available as an aftermarket accessory and is to be installed by a certified GLOCK Armorer.





### **MAGAZINE POUCH**

This ambidextrous pouch will accommodate belt widths from 1.25 inches (31.8mm) to 2.48 inches (63mm). The pouch has an integral detent, which provides retention without the need for straps or flaps. Available for all magazines, excluding the GLOCK 36 and GLOCK 42. (store.teamglock.com)

### SPORT/DUTY HOLSTER

The tough basic model, in both left- and right-hand versions, secures the entire pistol safely with a thumb-break retention strap. Available in 1.34-inch. (34mm) and 1.77-inch. (45mm) belt widths. (store.teamglock.com)



### SPORT/COMBAT HOLSTER

A super-lightweight, ambidextrous holster that's popular for off-duty or plainclothes use. It conceals GLOCK pistols beneath a coat or jacket. A special trigger guard retention device secures the pistol in the holster. The holster will accommodate belt widths from 1.25 inches (31.8mm) to 2.48 inches (63mm). (store.teamglock.com)

### **GLOCK DUMMY ROUNDS**

GLOCK Dummy Rounds have the same shape and dimensions as live ammunition in the 9x19, .40 AUTO, and .45 AUTO chamberings but are totally inert and safe for dry-fire practice. Produced from a polyamide polymer, GLOCK Dummy Rounds live up to GLOCK quality standards, which ensure resistance to abrasion, long service life, and superior performance. GLOCK Dummy Rounds are the safe choice made by police, military, and civilians for training purposes. (store.teamglock.com)






# FIREARMS DESIGNED WITH EVERY NEED IN MIND



When buying a firearm, it's important to choose one that serves your specific needs. That's why GLOCK™ pistols are designed to meet a range of requirements—while still possessing the fundamental qualities you depend on. No matter your objective, we have the firearm that's right for you.



# TRUSTED VERSATILITY



**PERFECTION**